

Article Info

Received: 01 Aug 2012 | Revised Submission: 22 Aug 2013 | Accepted: 28 Aug 2013 | Available Online: 20 Sept 2013

A Study on Feature Extraction and Image Retrieval for Image Mining

Deepak Sharma*

ABSTRACT

This paper provides a comprehensive survey of the technical achievements in the research area of image retrieval, especially content-based image retrieval, an area that has been so active and prosperous in the past few years. The survey includes the research aspects of image feature representation and extraction, multidimensional indexing, and system design.

Keywords: *Extractions; Segmentation; Image Segmentation; Coloring; Color Layout; High Dimensional Indexing.*

1.0 Introduction

Feature (content) extraction is the basis of content-based image retrieval. In a broad sense, features may include both text-based features (key words, annotations) and visual features (color, texture, shape, faces). However, since there already exists rich literature on text-based feature extraction in the DBMS and information retrieval research communities, we will confine ourselves to the techniques of visual feature extraction.

Within the visual feature scope, the features can be further classified as general features and domain-specific features.


The former include color, texture, and shape features while the latter is application-dependent and may include, for example, human faces and finger prints. The domain-specific features are better covered in pattern recognition literature and may involve much domain knowledge which we will not have enough space to cover in this paper.

Therefore, the remainder of the section will concentrate on those general features which can be used in most applications. Because of perception subjectivity, there does not exist a single best presentation for a given feature.

The color feature is one of the most widely used visual features in image retrieval. It is relatively robust to background complication and independent of image size and orientation.

1.1. Color

Fig 1: Feature Extraction




In image retrieval, the color histogram is the most commonly used color feature representation. Statistically, it denotes the joint probability of the intensities of the three color channels. Swain and Ballard proposed histogram intersection, an L 1 metric, as the similarity measure for the color histogram. To take into account the similarities between similar but not identical colors, Ioka and Niblack et al. introduced an L 2 -related metric in comparing the histograms. Furthermore, considering that most color histograms are very sparse and thus sensitive to noise, Stricker and Orengo proposed using the cumulated color histogram.

*Corresponding Author: Department of Computer Science & Engineering, VIT, Gautama Buddha Nagar, Uttar Pradesh, India (E-mail: dpksharma486@gmail.com)

Their research results demonstrated the advantages of the proposed approach over the conventional color histogram approach.

Fig 1.1: Color Histogram Approach



The mathematical foundation of this approach is that any color distributions can be characterized by its moments. Furthermore, since most of the information is concentrated on the low-order moments, only the first moment (mean), and the second and third central moments (variance and Skewness) were extracted. The color feature representation. Weighted Euclidean distance was used to calculate the color similarity.

1.2. Color layout

Although the global color feature is simple to calculate and can provide reasonable discriminating power in image retrieval, it tends to give too many false positives when the image collection is large. Many research results suggested that using color layout (both color feature and spatial relations) is a better solution to image retrieval.

To extend the global color feature to a local one, a natural approach is to divide the whole image into sub blocks and extract color features from each of the sub blocks.

A variation of this approach is the quad tree based color layout approach, where the entire image was split into a quad tree structure and each tree branch had its own histogram to describe its color content. Although conceptually simple, this regular sub block-based approach cannot provide accurate local color information and is computation and storage-expensive.

Fig 2: Color Layouts for 300Px Image




2.0 Segmentation

Segmentation is very important to image retrieval. Both the shape feature and the layout feature depend on good segmentation. In this subsection we will describe some existing segmentation techniques used in both computer vision and image retrieval.

In Lybanon et al. research endomorphological approach (open in grand closing) approach in image segmentation. They tested their approach in various types of images, including optical astronomical images, infrared images and magnetograms. While this approach was effective in dealing with the above scientific image types, its performance needs to be further evaluated for more complex natural scene images.

Fig: 3. Segmentation of an Image



In Hansen and Higgins exploited the individual strengths of watershed analysis and relaxation labeling. Since fast algorithm exists for the watershed

method, they first used the water shed to subdivide an image into catch men basins.

They then used relaxation belling to refine and update the classification of catch men basins initially obtained from the watershed to take advantage of there lavational belting's robustness to noise.


This approach is based on the fact that local entropy maxima correspond to the uncertainties among various regions in the image. This approach was very effective for images who see his to grams do not have clear peaks and valleys. Other segmentation techniques based on Delaunay triangulation, fractals, and edge flow.

3.0 High Dimensional Indexing

To make the content-based image retrieval truly scalable to large size image collections, efficient multidimensional indexing techniques need to be explored. There are two main challenges in such an exploration for image retrieval.

High dimensionality, the dimensionality of the feature vectors is normally of the order of 10. Non-Euclidean similarity measure, Since Euclidean measure may not effectively simulate human perception of a certain visual content, various other similar it measures, such as histogram intersection, cosine, correlation, need to be supported.

Fig 4: High Dimensional Indexing for Cancer Samples



References

- [1] MPEG-7 applications document, ISO/IEC JTC1/SC29/WG11 N1922, MPEG97, 1997.
- [2] MPEG-7 context and objectives (v.5), ISO/IEC JTC1/SC29/WG11 N1920, MPEG97, 1997.
- [3] Retrieval ware, demo page. <http://vrw/excalib.com/cgi-bin/sdk/cst/cst2.bat>, 1997.
- [4] Special issue on visual information management (R. Jain, Guest Ed.), Comm. ACM, 1997.
- [5] Third draft of MPEG-7 requirements, ISO/IEC JTC1/SC29/WG11 N1921, MPEG97, 1997.
- [6] Proc. Int. Conf. on Multimedia, 1993–1997, ACM, New York, 1997.
- [7] A. D. Alexandrov, W. Y. Ma, A. El Abbadi, and B. S. Manjunath, Adaptive filtering and indexing for iamge databases, in Proc. SPIE Storage and Retrieval for Image and Video Databases, 1995.
- [8] J. Allan, Relevance feedback with too much data, in Proc. of SIGIR'95, 1995.
- [9] E. M. Arkin, L. Chew, D. Huttenlocher, K. Kedem, and J. Mitchell, An efficiently computable metric for comparing polygonal shapes, IEEE Trans. Patt. Recog. Mach. Intell. 13(3), 1991
- [10] V. Athitsos, M. J. Swain, and C. Frankel, Distinguishing, photographs and graphics on the world wide web, in Proc. IEEE Workshop on Content-Based Access of Image and Video Libraries, 1997.
- [11] J. R. Bach, C. Fuller, A. Gupta, A. Hampapur, B. Horowitz, R. Humphrey, R. Jain, and C. F. Shu, The Virage image search engine: An open framework for image management, in Proc. SPIE Storage and Retrieval for Image and Video Databases.
- [12] H. G. Barrow, Parametric correspondence and chamfer matching: Two new teachniques for image matching, in Proc. 5th Int. Joint Conf. Artificial Intelligence, 1977.
- [13] N. Beckmann, H.-P.Kriegel, R. Schneider, and B. Seeger, The R*-tree: An efficient and

- robust access method for points and rectangles, in Proc. ACM SIGMOD, 1990.
- [14] M. Beigi, A. Benitez, and S.-F. Chang, Metaseek: A content-based meta search engine for images, in Proc. SPIE Storage and Retrieval for Image and Video Databases, San Jose, CA, 1998. [Demo and document: <http://www.ctr.columbia.edu/metaseek>]
- [15] G. Borgefors, Hierarchical chamfer matching: A parametric edge matching algorithm. IEEE Trans. Patt. Recog. Mach. Intell., 1988.
- [16] C. Buckley and G. Salton, Optimization of relevance feedback weights, in Proc. of SIGIR'95, 1995.
- [17] J. P. Callan, W. B. Croft, and S. M. Harding, The inquiry retrieval system, in Proc. of 3rd Int. Conf. on Database and Expert System Application, 1992. [18] C. Carson, S. Belongie, H. Greenspan, and J. Malik, Region-based image querying, in Proc. of IEEE Workshop on Content-Based Access of Image and Video Libraries, in Conjunction with IEEE CVPR'97, 1997
- [19] S. Chandrasekaran, B. S. Manjunath, Y. F. Wang, J. Winkeler, and H. Zhang, An eigenspace update algorithm for image analysis, CVGIP: Graphical Models and Image Processing Journal, 1997.
- [20] N. S. Chang and K. S. Fu, A Relational Database System for Images, Technical Report TR-EE 79-28, Purdue University, 1979.
- [21] N. S. Chang and K. S. Fu, Query-by pictorial-example, IEEE Trans. on Software Engineering SE-6(6), 1980.
- [22] S.-F. Chang, A. Eleftheriadis, and R. McClintock, Next-generation content representation, creation and searching for new media applications in education, IEEE Proceedings, 1998, to appear.
- [23] S.-F. Chang, J. R. Smith, M. Beigi, and A. Benitez, Visual information retrieval from large distributed online repositories. Comm. ACM (Special Issue on Visual Information Retrieval) 1997, pp. 12–20.
- [24] S.-K. Chang, Pictorial data-base systems, IEEE Computer, 1981
- [25] S.-K. Chang and A. Hsu, Image information systems: Where do we go from here? IEEE Trans. on Knowledge and Data Engineering 4(5), 1992
- [26] S.-K. Chang, C. W. Yan, D. C. Dimitroff, and T. Arndt, An intelligent image database system, IEEE Trans, Software Eng. 14(5), 1988
- [27] S.-F. Chang, Compressed-domain content-based image and video retrieval, in Proc. Symposium on Multi-media Communications and Video Coding, 1995.
- [28] S.-F. Chang, Compressed-domain techniques for image/video indexing and manipulation, in Proc. ICIP95 Special Session on Digital Library and Video on Demand, 1995
- [29] S.-F. Chang and J. R. Smith, Finding images/video in large archives D-Lib. Magazine, 1997 [30] S.-F. Chang and J. Smith, Extracting mutlidimensional signal features for content-based visual query, in Proc. SPIE Symposium on Visual Communications and Signal Processing, 1995.
- [31] T. Chang and C.-C J. Kuo, Texture analysis and classification with tree-structured wavelet transform, IEEE Trans. Image Proc. 2(4), 429–441, 1993.